



# LICENCE

No. 13298

Issued to:  
Applicant:  
**R-Tech**  
**Rue de Mons, 3**  
**B-4000 LIEGE**  
**Belgium**

Licensee:  
**Schreder Group GIE**  
**Rue de Lusambo, 67**  
**B-1190 BRUXELLES**  
**Belgium**

Product : road, square and street lighting  
Trade name(s) : SCHREDER  
Type(s)/model(s) : CITEA MAXI, CITEA MIDI, CITEA MINI, MAYA MAXI, MAYA MIDI, MAYA MINI, SCALA MAXI, SCALA MIDI, SCALA MINI

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.


CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location according to CCA Group Operational Document CIG 021
- a certification agreement with the number 1173

CEBEC hereby grants the right to use the CEBEC certification mark

The ENEC/CEBEC certification mark may be applied to the product as specified in this licence for the duration of the ENEC/CEBEC certification agreement and under the conditions of the ENEC/CEBEC certification agreement.

This licence is issued on: 30/06/2003

  
ir. R. Maquestiau,  
Managing Director

Only integral publication of this certificate, including the annex, is allowed

CEBEC scribentia

Avenue J. Van Salverlaan, 9A/011  
B-1050 Brussels/Bruxelles  
T: +32 (0)2 540 09 20  
F: +32 (0)2 556 09 30

Accredited by



**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	:	road, square and street lighting
Trade name(s)	:	SCHREDER
Type(s)/Model(s)	:	CITEA MAXI, CITEA MIDI, CITEA MINI, MAYA MAXI, MAYA MIDI, MAYA MINI, SCALA MAXI, SCALA MIDI, SCALA MINI
rated voltage (Un)	:	230 V
nature of supply	:	ac
rated frequency	:	50 Hz
temperature limit (t max)	:	Ta 30°C
class	:	II
degree of protection	:	IP 44/66(optical)
lamp(s)	:	HP Sodium, HP Mercury, Metal Halide
additional information	:	Class F

**Product data - type CITEA MINI**

rated power	:	Max. 150 W
-------------	---	------------

**Product data - type MAYA MINI**

rated power	:	Max. 150 W
-------------	---	------------

**Product data - type SCALA MINI**

rated power	:	Max. 150 W
-------------	---	------------

**Product data - type CITEA MIDI**

rated power	:	Max. 250 W
-------------	---	------------

**Product data - type CITEA MAXI**

rated power	:	Max. 400 W
-------------	---	------------

**Product data - type MAYA MIDI**

rated power : Max. 250 W

**Product data - type MAYA MAXI**

rated power : Max. 400 W

**Product data - type SCALA MIDI**

rated power : Max. 250 W

**Product data - type SCALA MAXI**

rated power : Max. 400 W

**TESTS****Test requirements**

EN 60598-1:2000 + A11:2000

EN 60598-2-1:1989

EN 60598-2-3:1994-06 + corrigendum May 1996 + A1:1997 + A2:2001

**Test results**

The test results are laid down in test report(s) ref. S0308(SMT)

**Conclusion**

The examination proved that all test requirements were met.

Checked by, project leader

: Christian Maes

Department Manager,  
Product Certification

Certification Manager



2003-06-30

2003-06-30

**FACTORY LOCATION(S)**

Comatelec S.A.  
Z.I.  
18400 SAINT FLORENT S/CHER  
France