

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR  
ELECTRICAL EQUIPMENT (IECEE), CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS  
D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE),  
METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
Produit

LUMINAIRE FOR ROAD AND STREET LIGHTING

Name and address of the applicant  
Nom et adresse du demandeurSCHRÉDER GROUP  
RUE DE LUSAMBO, 67  
B-1190 BRUXELLES (Belgium)Name and address of the manufacturer  
Nom et adresse du fabricantSOCELEC, S.A.  
AV ROANNE 66 - PI EL HENARES  
19130 MARCHAMALO (Guadalajara - Spain)Name and address of the factory  
Nom et adresse de l'usine

SAME AS ABOVE

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page Additional Information on page 2Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

See Annex

Trademark (if any)  
Marque de fabrique (si elle existe)

SCHRÉDER

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.  
Ref. de type

See references on the Annex

Additional information (if necessary may also be reported on  
page 2)  
Les informations complémentaires (si nécessaire, peuvent être  
indiqués sur la 2<sup>ème</sup> page) Additional Information on page 2A sample of the product was tested and found to be in  
conformity with  
Un échantillon de ce produit a été essayé et a été considéré  
conforme à laIEC 60598-1:2014  
IEC 60598-2-3:2002  
IEC 60598-2-3:2002/A1:2011As shown in the Test Report Ref. n° which forms part of this  
Certificate  
Comme indiqué dans le Rapport d'essais numéro de référence  
qui constitue partie de ce Certificat

201410110245-I, 201410110245-II

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de CertificationASOCIACIÓN ESPAÑOLA DE NORMALIZACIÓN Y CERTIFICACIÓN (AENOR)  
CI Génova, 6  
ES-28004 MADRID (SPAIN)AENOR  
Asociación Española de  
Normalización y Certificación

Date: 2014-11-07

Signature: Avelino BRITO  
Chief Executive Officer

# ANNEX TO CB CERTIFICATE N° ES1515

## CERTIFIED REFERENCES AND THEIR PRINCIPAL CHARACTERISTICS

### LUMINAIRE FOR ROAD AND STREET LIGHTING

Type reference	Trade mark	Rated voltage and frequency	N° of lamps x rated wattage	Type of lamps and lampholder	Degree of protection (IP)	Means for power supply connection	Class. respect supporting material	Protection against electric shock (class)	Limitations	Technical data
STYLAGE 16 LED 350 mA Cl. II	SCHREDER	120-277 V~; 50/60 Hz	16; 19 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 16 LED 350 mA Cl. I	SCHREDER	120-277 V~; 50/60 Hz	16; 19 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 16 LED 500 mA Cl. II	SCHREDER	120-277 V~; 50/60 Hz	16; 26 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 16 LED 500 mA Cl. I	SCHREDER	120-277 V~; 50/60 Hz	16; 26 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 16 LED 700 mA Cl. II	SCHREDER	120-277 V~; 50/60 Hz	16; 38 W; 700 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 16 LED 700 mA Cl. I	SCHREDER	120-277 V~; 50/60 Hz	16; 38 W; 700 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 24 LED 350 mA Cl. II	SCHREDER	120-277 V~; 50/60 Hz	24; 28 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 24 LED 350 mA Cl. I	SCHREDER	120-277 V~; 50/60 Hz	24; 28 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 24 LED 500 mA Cl. II	SCHREDER	120-277 V~; 50/60 Hz	24; 39 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 24 LED 500 mA Cl. I	SCHREDER	120-277 V~; 50/60 Hz	24; 39 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 24 LED 700 mA Cl. II	SCHREDER	120-277 V~; 50/60 Hz	24; 55 W; 700 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white



# ANNEX TO CB CERTIFICATE N°

Type reference	Trade mark	Rated voltage and frequency	N° of lamps x rated wattage	Type of lamps and lampholder	Degree of protection (IP)	Means for power supply connection	Class. respect supporting material	Protection against electric shock (class)	Limitations	Technical data
STYLAGE 24 LED 700 mA Cl. I	SCHREDER	120-277 V-; 50/60 Hz	24; 55 W; 700 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 32 LED 350 mA Cl. II	SCHREDER	120-277 V-; 50/60 Hz	32; 36 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 32 LED 350 mA Cl. I	SCHREDER	120-277 V-; 50/60 Hz	32; 36 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 06	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 32 LED 500 mA Cl. II	SCHREDER	120-277 V-; 50/60 Hz	32; 51 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 32 LED 500 mA Cl. I	SCHREDER	120-277 V-; 50/60 Hz	32; 51 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 32 LED 700 mA Cl. II	SCHREDER	120-277 V-; 50/60 Hz	32; 71 W; 700 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 32 LED 700 mA Cl. I	SCHREDER	120-277 V-; 50/60 Hz	32; 71 W; 700 mA	LED (module)	IP 66 (optics and luminaire); IK 06	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 48 LED 350 mA Cl. II	SCHREDER	120-277 V-; 50/60 Hz	48; 53 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 48 LED 350 mA Cl. I	SCHREDER	120-277 V-; 50/60 Hz	48; 53 W; 350 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 48 LED 500 mA Cl. II	SCHREDER	120-277 V-; 50/60 Hz	48; 75 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 08	Permanently-fixed flexible cables and terminals	-	Class II	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white
STYLAGE 48 LED 500 mA Cl. I	SCHREDER	120-277 V-; 50/60 Hz	48; 75 W; 500 mA	LED (module)	IP 66 (optics and luminaire); IK 06	Permanently-fixed flexible cables and terminals	-	Class I	Vertical top-post or suspended mounting	STYLAGE Series. Neutral and warm white